

VGS-M369H

Digital Telescope **VISTAGLASS**

36x Digital Telescope supporting Auto Focus



Features

- Advanced digital telescope with superior performance and fun
- Equipped with 36x optical zoom lens
- Supports Auto-Focus which does not need additional focus adjustment
- Easy Capturing the desired object by just pushing Tele/Wide buttons
- Easy monitoring through built-in 10.1" TFT LCD monitor
(Option : High brightness LCD for Outdoor)
- Excellent low-light performance even in the environment where visual identification is difficult
- Interface to large monitor via HD-SDI output
- RS-485 communication(Remote Control, Management)
- IP67 dustproof and waterproof

Installation Places


- Observation deck of tourist attractions
- Observation deck of skyscraper
- Sports stadium
- Bird, Wildlife watching
- Airport, Port monitoring, Crack monitoring of Bridge, Dam, etc.



Observation deck of tourist attractions



Indoor observation deck of skyscraper



Zoo and Arboretum



Sports stadium

Item	Specifications
Zoom Magnification	Optical 36x + Max. Digital 32x
Image Sensor	1/2", 2Megapixel CMOS image sensor
Focal Length	f = 6.0mm ~ 216.0mm
F Number	F1.5(Wide) ~ F4.8 (Tele)
FOV	Wide 63.31° (D), 58.5° (H), 33.63° (V) Tele 2.44° (D), 2.12° (H), 1.19° (V)
Focus Adjustment	Auto Focus
Display	10.1" TFT LCD Monitor (IPS panel)
Display Resolution	WXGA, 1280 x 800 Full-HD, 1920 x 1080 HD-SDI Output
Tilt Angle	-30° ~ 15°
Pan Angle	Approx. 140° (Adjustable)
Eyelevel	1370mm (Up to center of monitor)
Dimension	380 (W) x 220 (H) x 430 (D) mm
Weight	Approx. 13Kg (Except Pole)
Power	LCD : DC12V 2.5A High brightness LCD : DC12V 3A
Power Consumption	Max. 35W (Fan & Heater)
Material	Aluminum (IK10)
Operating Temp/Humidity	-40C° ~ 60C°, 0%~90%RH
Stand pole	126 (ø) x 1200 (H)

※ This specification is subject to change without notice for product improvement

Dimensions

Unit : mm

